

**FM 30-39**

**BASIC FIELD MANUAL**

**MILITARY INTELLIGENCE**

**IDENTIFICATION OF  
ITALIAN AIRCRAFT**

---

**Prepared under direction of the  
Chief of Staff**



**UNITED STATES  
GOVERNMENT PRINTING OFFICE  
WASHINGTON : 1941**

WAR DEPARTMENT,  
WASHINGTON, October 24, 1941.

FM 30-39, Military Intelligence, Identification of Italian Aircraft, is published for the information and guidance of all concerned.

[A. G. 062.11 (8-9-41).]

BY ORDER OF THE SECRETARY OF WAR:

G. C. MARSHALL,  
*Chief of Staff.*

OFFICIAL:

E. S. ADAMS,  
*Major General,*  
*The Adjutant General.*

DISTRIBUTION:

X

(For explanation of symbol see FM 21-6.)


**BASIC FIELD MANUAL**  
**MILITARY INTELLIGENCE**

**IDENTIFICATION OF ITALIAN AIRCRAFT**


The material contained in this manual has been secured from many sources. It is the best material available but may be incomplete and, in some respects, inaccurate.

This manual containing illustrations with explanatory data relative to Italian aircraft is published for limited distribution. It will be used for instruction of officers and men in appearance and general characteristics of Italian aircraft.

The Italian airplane markings are as shown below:



Wing



Tail

## ILLUSTRATIONS

### LAND PLANES:

	Page
<b>Fighters:</b>	
A. U. T. 18 (Umbra) -----	4
Breda 64 -----	6
Caproni CA 165 -----	8
Caproni Vizzola S. A. F. 5 -----	10
Fiat CR 32 -----	12
Fiat CR 41 -----	14
Fiat CR 42 -----	16
Fiat G 50 -----	18
Macchi C 200 -----	20
Meridionali RO 41 -----	22
Meridionali RO 51 -----	24
Reggiane RE 2000 "Falcho I" -----	26
<b>Fighter-bombers:</b>	
Breda 65 -----	28
Savoia Marchetti SM 85 (dive) -----	30
<b>Bombers:</b>	
Breda 88 -----	32
Caproni CA 311 (reconnaissance) -----	34
Cant Z 1007 bis -----	36
Cant Z 1011 -----	38
Caproni CA 135 bis -----	40
Fiat BR 20 -----	42
Fiat CR 25 -----	44
Piaggio P 32 MK II -----	46
Savoia Marchetti SM 79 (reconnaissance) -----	48
Savoia Marchetti SM 81 (reconnaissance) -----	50
<b>Reconnaissance:</b>	
Caproni CA 111 -----	52
Caproni CA 310 Libeccio (bomber) -----	54
<b>Army cooperation:</b>	
Caproni CA 134 -----	56
Caproni CA 164 -----	58
Meridionali RO 37 bis -----	60
<b>Transports:</b>	
Caproni CA 133 -----	62
Fiat G 18 -----	64
Savoia Marchetti SM 73 -----	66
Savoia Marchetti SM 75 -----	68
Savoia Marchetti SM 82 "Marsupiale" -----	70
Savoia Marchetti SM 79 (reconnaissance) -----	48
<b>General purpose:</b>	
Caproni Ghibli -----	74
Nardi F. N. 315 -----	76
<b>SEAPLANES:</b>	
<b>Fighters:</b>	
Meridionali O 44 -----	80
Meridionali RO 43 (reconnaissance) -----	82
<b>Reconnaissance-bombers:</b>	
Cant Z 501 -----	84
Cant Z 506B -----	86
Caproni CA 312 bis -----	88
Fiat R. S. 14 -----	90

**IDENTIFICATION OF ITALIAN AIRCRAFT**

**LAND PLANES**

MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



A. U. T. 18 (UMBRA)

Description: Round tip, tapered, slightly dihedral, low-wing monoplane. All metal, single motor, enclosed cockpit, blunt nose, retractable landing gear.

Crew: 1.

Armament: 2 medium caliber machine guns in fuselage.

Ammunition:

Bomb load:

Radio:

Armor:

Motors: 1 Fiat A 80 RC. 41, 1,000 horsepower.

Maximum speed: 304 miles per hour.

Rate of climb:


Service ceiling:

Maximum range:

Wing span: 38 feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Fighter  
A. U. T. 18 (UMBRA)



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



BREDA 64 FIGHTER

Description: Round tip, tapered, slightly dihedral, low-wing monoplane. All metal, single motor, enclosed cockpit, blunt nose, retractable landing gear.

Crew: 2.

Armament:

Ammunition:

Bomb load:

Radio:

Armor:

Motors:

Maximum

speed:

Rate of

climb:

Service

ceiling:

Maximum

range:

Wing span:



IDENTIFICATION OF ITALIAN AIRCRAFT

Fighter  
BREGDA 64

**MILITARY INTELLIGENCE**

**ROYAL ITALIAN  
AIR FORCE**

**CAPRONI CA 165**


**Description:**  
**Crew:**  
**Armament:**  
**Ammunition:**  
**Bomb load:**  
**Radio:**  
**Armor:**  
**Motors:** One 900 horsepower.  
**Maximum  
speed:** 280 miles per hour.  
**Rate of  
climb:** 23,000 in 8.2 minutes.  
**Service  
ceiling:** 32,800 feet.  
**Maximum  
range:**  
**Wing span:**

**IDENTIFICATION OF ITALIAN AIRCRAFT**

**Fighter  
CAPRONI CA 165**

MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



CAPRONI VIZZOLA S. A. F. 5

**Description:** Low-wing monoplane. All metal fuselage, wood wings, enclosed cockpit, single motor, fairly long blunt nose, retractable landing gear.

**Crew:** 1.

**Armament:** 2 medium caliber machine guns in sides of fuselage firing through propeller.

**Ammunition:**

**Bomb load:**

**Radio:**

**Armor:**

**Motors:** 1 Fiat A. 74 RC. 38, 840 horsepower.

**Maximum speed:**

**Rate of climb:** 19,680 feet in 6.3 minutes.

**Service ceiling:** 31,160 feet.

**Range:** 373-620 miles.


**Wing span:** 37 feet.

**IDENTIFICATION OF ITALIAN AIRCRAFT**

**Fighter**  
**CAPRONI VIZZOLA S. A. F. 5**

MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



FIAT CR 32

**Description:** Round tip, staggered, straight-wing biplane of unequal span. Pointed nose with cooling radiator beneath single motor. Fixed landing gear, open cockpit, fabric covered.

**Crew:** 1.

**Armament:** 2 Vickers machine guns in top cowling firing through propeller.

**Ammunition:**

**Bomb load:**

**Radio:**

**Armor:**

**Motors:** 1 Fiat A. 30 R.A., 550 horsepower.

**Maximum speed:** 242 miles per hour.

**Rate of climb:** 19,680 feet in 11 minutes.



**Service ceiling:** 26,240 feet.

**Range:** 525 miles.

**Wing span:** 29 feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Fighter  
FIAT CR 32



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



FIAT CR 41

Description: Round tip, staggered-wing biplane of unequal span. Upper wing slightly gull wing. Single motor, blunt nose, open cockpit, fixed landing gear.

Crew: 1.

Armament:

Ammunition:

Bomb load:

Radio:

Armor:

Motors: 1.

Maximum

speed:

Rate of

climb:

Service

ceiling:

Range:


Wing span:



**IDENTIFICATION OF ITALIAN AIRCRAFT**

**Fighter  
FIAT CR 41**




ROYAL ITALIAN  
AIR FORCE



FIAT CR 42


- Description:** Round tip, straight-wing biplane of unequal span. Fuselage metaled forward, fabric aft. Fabric wings, single motor. Fairly long blunt nose, open cockpit, fixed landing gear.
- Crew:** 1.
- Armament:** 2 machine guns in fuselage firing through propeller.
- Ammunition:**
- Bomb load:**
- Radio:**
- Armor:**
- Motors:** 1 Fiat A. 74 R1C 38, 840 horsepower.
- Maximum speed:** 279 miles per hour.
- Rate of climb:** 19,680 feet in 7 minutes.
- Service ceiling:** 31,300 feet.
- Range:**
- Wing span:** 31.9 feet.

Fighter  
FIAT CR. 42



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



FIAT G 50

**Description:** Round tip, very slight forward sweep, slightly dihedral, long-wing monoplane. All metal, single motor, enclosed cockpit, blunt nose, retractable landing gear.

**Crew:** 1.

**Armament:** 2 fixed machine guns in top of fuselage firing through propeller; 2 fixed in wings firing outside of propeller.

**Ammunition:**

**Bomb load:** 36 3-kg or 144 1-kg bombs.

**Radio:**

**Armor:**

**Motors:** 1 Fiat A. 74 RC. 38, 840 horsepower.

**Maximum**

**speed:** 299 miles per hour.

**Rate of**

**climb:** 16,400 feet in 5.2 minutes.

**Service**




**ceiling:** 35,430 feet.

**Range:** 435 miles.

**Wing span:** 35½ feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Fighter  
FIAT G 50



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



MACCHI C 200

**Description:** Round tip, slightly swept-back, slightly dihedral, low-wing monoplane. All metal, single motor, enclosed cockpit, blunt nose, retractable landing gear.

**Crew:** 1.

**Armament:** 2 fixed machine guns in cowling firing through propeller.

**Ammunition:**

**Bomb load:**

**Radio:**

**Armor:**

**Motors:** 1 Fiat A. 74 RC. 38, 840 horsepower.

**Maximum speed:** 313 miles per hour.

**Rate of climb:** 19,680 feet in 6.5 minutes.



**Service ceiling:** 32,470 feet.

**Range:** 435 miles.

**Wing span:** 34 $\frac{2}{3}$  feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

Fighter  
MACCHI C 200



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



MERIDIONALI RO 41

- Description: Round tip biplane of unequal span. Upper wing slightly gull wing. Single motor. Blunt nose, open cockpit, fixed landing gear.
- Crew: 1.
- Armament: 2 Breda-Safat machine guns firing through propeller.
- Ammunition:
- Bomb load:
- Radio:
- Armor:
- Motors: 1 Piaggio P. VII C. 45, 390 horsepower.
- Maximum speed: 211 miles per hour.
- Rate of climb: 19,800 feet in 8.5 minutes.
- Service ceiling: 24,500 feet.
- Range:
- Wing span: 29 feet.




IDENTIFICATION OF ITALIAN AIRCRAFT

Fighter  
MERIDIONALI RO 41

MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



MERIDIONALI RO 51


- Description:** Round tip, tapered, slightly dihedral, low-wing monoplane. Metal clad fuselage, single motor, fairly long blunt nose, enclosed cockpit, retractable landing gear.
- Crew:** 1.
- Armament:** 2 Breda-Safat heavy machine guns firing through propeller.
- Ammunition:**
- Bomb load:**
- Radio:**
- Armor:**
- Motors:** 1 Fiat A. 74 RC. 38, 840 horsepower.
- Maximum speed:** 317 miles per hour.
- Rate of climb:** 19,680 feet in 7 minutes.
- Service ceiling:**
- Range:**
- Wing span:** 32 $\frac{1}{4}$  feet.

**IDENTIFICATION OF ITALIAN AIRCRAFT**

**Fighter  
MERIDIONALI RO 51**


MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE






REGGIANE RE 2000 "FALCHO I"

- Description:** Round tip, tapered, slightly dihedral, low-wing monoplane. All metal, single motor, blunt nose, enclosed cockpit, retractable landing gear.
- Crew:** 1.
- Armament:** 2 heavy machine guns mounted on the wings clear of the propeller.
- Ammunition:**
- Bomb load:**
- Radio:**
- Aarmor:**
- Motors:** 1 Fiat A. 80 RC. 41, 1,000 horsepower.
- Maximum speed:** 350 miles per hour (approximate).
- Rate of climb:** 19,680 feet in 6.3 minutes.
- Service ceiling:** 36,900 feet.
- Range:** 3 hours.
- Wing span:** 36¼ feet.




Fighter  
REGGIANE RE 2000  
"FALCHO I"



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE





BREDA 65

- Description: Round tip, tapered, slightly dihedral, low-wing monoplane. All metal, single motor, enclosed cockpit, blunt nose, retractable landing gear.
- Crew: 1 or 2.
- Armament: 5 machine guns; 2 12-mm and 2 7.7-mm fixed on wings; 1 flexible in observer cockpit.
- Ammunition:
- Bomb load: 160 light or 12 medium or 4 heavy.
- Radio:
- Armor:
- Motors: 1 Piaggio P. XI RC. 40, 1,000 horsepower.
- Maximum speed: 255 miles per hour.
- Rate of climb: 1,380 feet per minute.
- Service ceiling: 27,225 feet.
- Range: 682 miles.
- Wing span: 40 feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Fighter-Bomber  
BREDA 65



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE




SAVOIA-MARCHETTI SM 85

- Description: Round tip, slightly tapered, midwing monoplane. All metal, twin motor, enclosed cockpit, long blunt engine nacelles under the wings, retractable landing gear.
- Crew: 1.
- Armament: 1 Breda-Safat machine gun in floor of cockpit.
- Ammunition:
- Bomb load: Bombs carried under fuselage.
- Radio:
- A armor:
- Motors: 2 1,000 horsepower Piaggio air-cooled.
- Maximum speed: 317 miles per hour.
- Rate of climb:
- Service ceiling:
- Range:
- Wing span:




IDENTIFICATION OF ITALIAN AIRCRAFT

Dive Bomber-Ground Attack  
SAVOIA-MARCHETTI SM 85



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



BREDA 88

Description: Round tip, slightly swept-back, tapered, high-wing monoplane. All metal, twin motor, long blunt-nosed engine nacelles under wings, enclosed cockpit, retractable landing gear.

Crew: 2.

Armament: 2 fixed cannon, MA; 1 flexible gun in turret above wing.

Ammunition:

Bomb load: 2,200 pounds.

Radio:

Armor:

Motors: 2 Piaggio XI. RC 40, 1,000 horsepower each.

Maximum speed: 352 miles per hour.

Rate of climb: 16,400 feet in 11 minutes.


Service ceiling: 26,000 feet.

Range: 1,120 miles.


Wing span: 51 feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

Light Bomber  
BREDA 88





ROYAL ITALIAN  
AIR FORCE



CAPRONI CA 311


- Description:** Round tip, slightly swept-back, tapered, low-wing monoplane. Fabric covered, twin motor, blunt-nosed engine nacelles under wings, enclosed cockpit, retractable landing gear.
- Crew:** 3 or 4.
- Armament:** 1 fixed machine gun in left wing; 1 flexible in gun turret on top of fuselage.
- Ammunition:**
- Bomb load:**
- Radio:** Two-way.
- Armor:**
- Motors:** 2 Piaggio P. XVI, 700 horsepower each.
- Maximum speed:** 270 miles per hour.
- Rate of climb:**
- Service ceiling:**
- Range:**
- Wing span:** 53½ feet.

Light Bomber-Reconnaissance  
CAPRONI CA 311



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE





CANT Z 1007 BIS

- Description: Round tip, tapered, dihedral, low-wing monoplane. Plywood fuselage, fabric wings, trimotor, long blunt nose, long blunt-nosed engine nacelles under wings, enclosed cockpit, retractable landing gear.
- Crew: 5.
- Armament: 4 machine guns; 3 above, 1 below fuselage.
- Ammunition:
- Bomb load: 2,200 pounds.
- Radio:
- Armor:
- Motors: 3 Piaggio P. XI RC. 40, 1,000 horsepower each.
- Maximum speed: 280 miles per hour.
- Rate of climb: 1,550 feet per minute.
- Service ceiling: 26,200 feet.
- Range: 1,372 miles.
- Wing span: 81.3 feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

Bomber  
CANT Z 1007 BIS



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



CANT Z 1011

- Description:** Round tip; slightly dihedral, low-wing monoplane. Plywood construction, twin motor, long elliptical fuselage, engine nacelles above wing, enclosed, retractable landing gear. Twin rudders.
- Crew:** 5.
- Armament:** 4 machine guns in twin mountings, aft of wing, above and below fuselage.
- Ammunition:**
- Bomb load:**
- Radio:**
- Armor:**
- Motors:** 2 Isotta-Fraschini "Asso-XI R.C.," 840 horsepower each.
- Maximum speed:** 230 miles per hour.
- Rate of climb:** 16,400 feet in 19 minutes.
- Service ceiling:** 26,240 feet.
- Range:** 1,240 miles.
- Wing span:** 82 feet.




IDENTIFICATION OF ITALIAN AIRCRAFT

Bomber  
CANT Z 1011

MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE






CAPRONI CA 135 BIS

- Description:** Round tip, slightly swept-back, tapered, mid-wing monoplane. Plywood wings, fabric fuselage, twin motor, long elliptical fuselage, long blunt-nosed engine nacelles set into wings, enclosed, transparent section near tail, retractable landing gear, twin fins and rudders.
- Crew:** 5.
- Armament:** 1 machine gun in nose with lateral traverse; 1 machine gun in retractable turret on top of fuselage; 1 machine gun under fuselage behind wings.
- Ammunition:**
- Bomb load:** 1,760 pounds.
- Radio:**
- Armor:**
- Motors:** 2 Piaggio P. XI RC. 40, 1,000 horsepower each.
- Maximum speed:** 273 miles per hour.
- Rate of climb:** Initially 1,435 feet per minute.
- Service ceiling:** 22,960 feet.
- Range:** 1,240 miles.
- Wing span:** 61 $\frac{2}{3}$  feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Bomber  
CAPRONI CA 135 BIS



## MILITARY INTELLIGENCE

### ROYAL ITALIAN AIR FORCE



FIAT BR 20

**Description:** Round tip, slightly swept-back, tapered, low-wing monoplane. Fabric, twin motor, long elliptical fuselage, blunt-nosed engine nacelles built into wings, enclosed, retractable landing gear, twin fins and rudders.

**Crew:** 4.

**Armament:** 1 machine gun in nose, 1 machine gun in retractable turret on top of fuselage; 1 machine gun at bottom at slight break in bottom line of fuselage.

**Ammunition:**

**Bomb load:** 2,200 pounds.

**Radio:**

**Armor:**

**Motors:** 2 Fiat A 80 RC. 41, 1,000 horsepower each.

**Maximum**

**speed:** 268 miles per hour.

**Rate of**

**climb:** 19,680 feet in 22.5 minutes.

**Service**

**ceiling:** 29,520 feet.


**Maximum**

**range:** 1,863 miles.


**Wing span:** 70½ feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

Bomber  
FIAT BR 20



ROYAL ITALIAN  
AIR FORCE



FIAT CR 25

**Description:** Round tip, slightly swept-back, tapered, slightly negative dihedral low-wing monoplane. All metal, twin motor, long pointed nose, long blunt-nosed engine nacelles, set into wings, enclosed, retractable landing gear.

**Crew:** 3.

**Armament:** 2 fixed machine guns firing forward in nose; 1 machine gun in retractable turret on top of fuselage.

**Ammunition:**

**Bomb load:**

**Radio:**

**Armor:**

**Motors:** 2 Fiat A. 74 RC. 38, 840 horsepower each.

**Maximum**

**speed:** 286 miles per hour.

**Rate of**

**climb:** 19,680 feet in 12 minutes.

**Service**

**ceiling:** 32,140 feet.

**Range:** 1,180 miles.


**Wing span:** 52 feet.

**IDENTIFICATION OF ITALIAN AIRCRAFT**

**Bomber  
FIAT CR 25**

## MILITARY INTELLIGENCE

### ROYAL ITALIAN AIR FORCE



PIAGGIO P 32 MK II

**Description:** Round tip, tapered, dihedral, midwing monoplane. Plywood structure, long elliptical nose, twin motor, blunt-nosed engine nacelles below wings, enclosed, retractable landing gear, twin fins and rudders.

**Crew:** 3.

**Armament:** 5 machine guns in turrets above and below fuselage.

**Ammunition:**

**Bomb load:** 3,520 pounds.

**Radio:**

**Armor:**

**Motors:** 2 Piaggio P. XI RC. 40, 1,020 horsepower each.

**Maximum speed:** 264 miles per hour.

**Rate of climb:** 13,120 feet in 15 minutes.

**Service ceiling:** 26,240 feet.



**Range:** 1,875 miles.

**Wing span:** 59 feet.




IDENTIFICATION OF ITALIAN AIRCRAFT

Bomber  
PIAGGIO P 32 MK II



ROYAL ITALIAN  
AIR FORCE



SAVOIA MARCHETTI SM 79

**Description:** Round tip, slightly swept-back, tapered, straight, low-wing monoplane. Front part of fuselage only metaled, rest plywood and fabric construction, enclosed, trimotor, long blunt-nosed fuselage, engine nacelles below wings, retractable landing gear.

**Crew:** 4.

**Armament:** 1 machine gun firing forward; 2 machine guns on movable mounts, 1 above and 1 below fuselage behind wings; 1 machine gun on sliding mount inside rear portion fuselage.

**Ammunition:**

**Bomb load:** 2,200 pounds.

**Radio:**

**Armor:**

**Motors:** 3 Piaggio P. XI RC. 40, 1,000 horsepower each.

**Maximum speed:** 295 miles per hour.

**Rate of climb:** 16,400 feet in 19.75 minutes.



**Service ceiling:** 27,880 feet.

**Range:** 1,240 miles.


**Wing span:** 66 $\frac{1}{4}$  feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

Bomber-Reconnaissance  
SAVOIA MARCHETTI SM 79



ROYAL ITALIAN  
AIR FORCE



SAVOIA MARCHETTI SM 81

**Description:** Round tip swept-back, dihedral, low-wing monoplane. Trimotor, long blunt nose, engine nacelles set into wing, enclosed, fixed landing gear.

**Crew:**

**Armament:** 4 7.7-mm machine guns on flexible mounts.

**Ammunition:**

**Bomb load:** 2,200 pounds.

**Radio:**

**Armor:**

**Motors:** 3 Piaggio P. XI RC. 40, 1,000 horsepower each.

**Maximum**

**speed:**

**Rate of**

**climb:**

**Service** 24,600 feet.




**ceiling:**

**Range:** 1,240 miles.


**Wing span:** 78 $\frac{2}{3}$  feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

Bomber-Reconnaissance  
SAVOIA MARCHETTI SM 81



ROYAL ITALIAN  
AIR FORCE



CAPRONI CA 111

**Description:** Slightly raked tip, straight, slightly dihedral, high-wing monoplane. Fabric covering, single motor, rounded nose, fixed undercarriage; can be converted to seaplane.

**Crew:**

**Armament:** 4 7.7-mm machine guns.

**Ammunition:**

**Bomb load:** 1,100 pounds.

**Radio:**

**Armor:**

**Motors:** 1 Isotta-Fraschini Asso, 750 horsepower.

**Maximum** 180 miles per hour.

**speed:**

**Rate of**

**climb:** 9,800 feet in 14.5 minutes.

**Service**


**ceiling:** 21,300 feet.

**Range:** 620 miles.

**Wing span:** 75½ feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

Reconnaissance  
CAPRONI CA 111



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE




CAPRONI CA 310 LIBECCIO

- Description:** Round tip, slightly swept-back, tapered, slightly dihedral, low-wing monoplane. Wooden wings, fabric fuselage, twin motor, long pointed nose, transparent panels underneath, engine nacelles set into wings, retractable landing gear.
- Crew:** 3.
- Armament:** 2 fixed machine guns in wing roots; 1 flexible in retractable turret on top of fuselage.
- Ammunition:**
- Bomb load:** 880 pounds.
- Radio:**
- Armor:**
- Motors:** 2 Piaggio P. VII C. 35, 470 horsepower each.
- Maximum speed:** 230 miles per hour.
- Rate of climb:** Initially 1,000 feet per minute.
- Service ceiling:** 23,000 feet.
- Range:** 750 miles.
- Wing span:** 53 $\frac{1}{6}$  feet.




Reconnaissance-Bomber  
CAPRONI CA 310 LIBECCIO



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



CAPRONI CA 134

Description: Round tip, staggered, straight-wing biplane.  
Single motor, long pointed nose, twin fins  
and rudders, fixed landing gear.

Crew: 2.

Armament:

Ammunition:

Bomb load:

Radio:

Armor:

Motors: 1 Isotta-Fraschini, 900 horsepower.

Maximum  
speed: 242 miles per hour.

Rate of  
climb:

Service  
ceiling: 26,240 feet.

Range:

Wing span: 31¼ feet.

**IDENTIFICATION OF ITALIAN AIRCRAFT**

**Army Cooperation  
CAPRONI CA 134**

ROYAL ITALIAN  
AIR FORCE



CAPRONI CA 164

Description: Round tip, straight-wing, slightly dihedral, biplane of unequal span. Single motor, long pointed nose, fixed landing gear, open cockpit.

Crew: 1.

Armament:

Ammunition:

Bomb load:

Radio:

Armor:

Motors: 1.

Maximum

speed:

Rate of

climb:

Service


ceiling:

Range:

Wing span:


IDENTIFICATION OF ITALIAN AIRCRAFT

Army Cooperation  
CAPRONI CA 164



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE







MERIDIONALI RO 37 BIS

- Description: Round tip, straight-wing, cut-out, staggered biplane of unequal span. Fuselage partially metal, remaining structure fabric, single motor, blunt nose, enclosed cockpit, fixed landing gear.
- Crew: 2.
- Armament: 2 Breda-Safat machine guns fixed firing through propeller; 1 Breda-Safat on flexible mount over rear cockpit.
- Ammunition:
- Bomb load: 12 33-pound bombs.
- Radio:
- Armor:
- Motors: 1 Piaggio P. XR, 700 horsepower, or 1 Piaggio P. IXr. C., 560 horsepower.
- Maximum speed: 205 miles per hour.
- Rate of climb: 19,680 feet in 16 minutes.
- Service ceiling: 24,930 feet.
- Range: 1,090 miles.
- Wing span: 36 $\frac{1}{3}$  feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Army Cooperation  
MERIDIONALI RO 37 BIS



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



CAPRONI CA 133

**Description:** Raked tip, straight-wing, slightly dihedral, braced high-wing monoplane. Front part of fuselage metaled, remaining structure fabric, trimotor, long tapered nose, engine nacelles below wings, enclosed; fixed landing gear.

**Crew:** 2; 16 passengers.

**Armament:** 4 flexible 7.7-mm machine guns.

**Ammunition:**

**Bomb load:**

**Radio:**

**Armor:**

**Motors:** 3 Piaggio "Stella" VI RC., 370 horsepower each.

**Maximum speed:** 174 miles per hour.

**Rate of climb:** 16,400 feet in 21 minutes.

**Service ceiling:** 21,320 feet.


**Range:** 838 miles.

**Wing span:** 69 $\frac{2}{3}$  feet.




IDENTIFICATION OF ITALIAN AIRCRAFT

Transport  
CAPRONI CA 133



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



FIAT G 18

**Description:** Round tip, slightly swept-back, tapered, dihedral low-wing monoplane. Long pointed nose, twin motor, engine nacelles set into wings, enclosed, fixed landing gear.

**Crew:** 3; 18 passengers.

**Armament:**

**Ammunition:**

**Bomb load:**

**Radio:**

**Aarmor:**

**Motors:** 2 Fiat, 1,000 horsepower each.

**Maximum speed:** 250 miles per hour.

**Rate of climb:**


**Service ceiling:** 28,680 feet.

**Range:** 930 miles.

**Wing span:** 82 feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

Transport  
FIAT G 18



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE

SAVOIA MARCHETTI SM 73

Description: Round tip, swept-back, slightly tapered, low-wing monoplane. Long blunt nose, engine nacelles set into wings, fixed landing gear, trimotor.

Crew: 4; 18 passengers.

Armament:

Ammunition:

Bomb load:

Radio:

Aarmor:

Motors: 3 Alfa-Romeo, 750 horsepower each.

Maximum speed: 200 miles per hour.

Rate of climb:



Service ceiling: 20,000 feet.

Range: 625-1,250 miles.

Wing span: 79 feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Transport  
SAVOIA MARCHETTI SM 73



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



SAVOIA MARCHETTI SM 75

**Description:** Round tip, swept-back, tapered, low-wing monoplane. Front part of fuselage metal, remaining structure plywood and fabric, trimotor, long tapered nose, enclosed, retractable landing gear.

**Crew:** 3; 24 passengers.

**Armament:**

**Ammunition:**

**Bomb load:**

**Radio:**

**Armor:**

**Motors:** 3 Alfa-Romeo, 750 horsepower each.

**Maximum**

**speed:** 230 miles per hour.

**Rate of climb:**

**Service**

**ceiling:** 25,570 feet.


**Maximum**

**range:** 875 miles.

**Wing span:** 97½ feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Transport  
SAVOIA MARCHETTI SM 75



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



SAVOIA MARCHETTI SM 82  
"MARSUPIALE"

Description: Round tip, swept-back, tapered, slightly dihedral, midwing monoplane. Trimotor, long blunt nose, engine nacelles below wing, enclosed, retractable landing gear.

Crew:

Armament:

Ammunition:

Bomb load:

Radio:

Armor:

Motors: 3, 950 horsepower each.

Maximum speed: 230 miles per hour.

Rate of climb:

Service ceiling:



Range: 2,480 miles (has flown 8,040 miles in 57 hours).

Wing span: 97½ feet.



IDENTIFICATION OF ITALIAN AIRCRAFT

Transport  
SAVOIA MARCHETTI SM 82 "MARSUPIALE"



## MILITARY INTELLIGENCE

### ROYAL ITALIAN AIR FORCE

#### SAVOIA MARCHETTI SM 83

**Description:** Round tip, slightly swept-back, tapered, low-wing monoplane. Front part of fuselage metaled, remaining structure wood and fabric, trimotor, long blunt nose, engine nacelles below wings, enclosed, retractable landing gear.

**Crew:** 4; 10 passengers.

**Armament:**

**Ammunition:**

**Bomb load:**

**Radio:**

**Armor:**

**Motors:** 3 Alfa-Romeo 126 RC. 34, 750 horsepower each.

**Maximum speed:** 276 miles per hour.

**Rate of climb:** 13,120 feet in 13.5 minutes.


**Service ceiling:** 27,600 feet.

**Range:** 930 miles.

**Wing span:** 69 $\frac{3}{4}$  feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Transport  
SAVOIA MARCHETTI SM 83



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



CAPRONI GHIBLI

Description: Round tip, tapered, slightly negative dihedral, low-wing monoplane. Long pointed nose, twin motor, engine nacelles below wings, enclosed, fixed landing gear.

Crew: 3.

Armament:

Ammunition:

Bomb load: 750 pounds.

Radio:

A armor:

Motors: 2 Alfa-Romeo, 200 horsepower each.

Maximum speed: 160 miles per hour.

Rate of climb:



Service ceiling: 14,760 feet.

Range: 962 miles.

Wing span: 53¼ feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

General Purpose  
CAPRONI GHIBLI



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE

NARDI F. N. 315

Description: Round tip, distinctly swept-back and tapered,  
low-wing monoplane. Long blunt nose, single motor, enclosed, retractable landing gear.

Crew: 2.

Armament: 2 machine guns.

Ammunition:

Bomb load:

Radio:

Armor:

Motors: 1 Hirth, 260 horsepower.

Maximum speed: 240 miles per hour.

Rate of climb:


Service ceiling:

Range: 600 miles.

Wing span: 27 $\frac{3}{4}$  feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

General Purpose  
NARDI F. N. 315








**IDENTIFICATION OF ITALIAN AIRCRAFT**

**SEAPLANES**

MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



MERIDIONALI RO 44

**Description:** Round tip, gull wing, staggered biplane of unequal span with single float for catapult launching. Fuselage partially metal, remaining construction fabric, blunt-nosed, enclosed.

**Crew:** 1.

**Armament:** 2 12.7-mm Breda-Safat machine guns fixed firing through propeller.

**Ammunition:**

**Bomb load:**

**Radio:**

**Armor:**

**Motors:** 1 Piaggio P. X. R., 700 horsepower.

**Maximum**

**speed:** 190 miles per hour.

**Rate of**

**climb:** 16,400 feet in 12.5 minutes.

**Service**


**ceiling:** 23,000 feet.

**Range:** 300 miles.

**Wing span:** 38 feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Fighter Seaplane  
MERIDIONALI RO 44



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE






MERIDIONALI RO 43


- Description:** Elliptical tip, straight wing, cut-out, gull-wing biplane of unequal span fitted with single float fixed for catapult launching. Fuselage partially metal, remaining structure fabric, single motor, blunt nose, enclosed cockpit.
- Crew:** 2.
- Armament:** 2 fixed Breda-Safat machine guns firing through propeller; 1 Breda-Safat flexible over rear cockpit.
- Ammunition:**
- Bomb load:**
- Radio:**
- Armor:**
- Motors:** 1 Piaggio P. X. R., 700 horsepower.
- Maximum speed:** 196 miles per hour.
- Rate of climb:** 16,400 feet in 12.8 minutes.
- Service ceiling:** 21,650 feet.
- Range:** 930 miles.
- Wing span:** 38 feet.

IDENTIFICATION OF ITALIAN AIRCRAFT

Fighter Reconnaissance Seaplane  
MERIDIONALI RO 43



ROYAL ITALIAN  
AIR FORCE




CANT Z 501

- Description:** Elliptical, straight, high-wing monoplane flying boat. Semicircular two step hull of wood, fabric wings, enclosed, single motor, engine nacelle above hull set into and above wing.
- Crew:** 4.
- Armament:** 1 machine gun in nose cockpit; 2 in engine nacelle position; 1 in rear cockpit.
- Ammunition:**
- Bomb load:** 1,100 pounds.
- Radio:**
- Armor:**
- Motors:** 1 Isotta-Fraschini Asso-XI RC. 15, 840 horsepower.
- Maximum speed:** 170 miles per hour.
- Rate of climb:** 13,120 feet in 16 minutes.
- Service ceiling:**
- Range:** 620 miles.
- Wing span:** 74 feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Reconnaissance-Bomber Flying Boat  
CANT Z 501



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE





CANT Z 506B

- Description:** Elliptical tip, tapered, dihedral midwing monoplane fitted with twin single-step metal floats. Wooden construction, trimotor, short blunt nose, long bulge under fuselage, engine nacelles set into wing.
- Crew:** 6.
- Armament:** 4 Breda-Safat 12.7-mm machine guns.
- Ammunition:** 350 rounds per gun.
- Bomb load:**
- Radio:**
- Armor:**
- Motors:** 3 Alfa-Romeo 126 RC. 34, 750 horsepower each.
- Maximum speed:** 236 miles per hour.
- Rate of climb:** Initially 820 feet per minute.
- Service ceiling:** 24,500 feet.
- Range:** 1,240 miles.
- Wing span:** 87 feet.




IDENTIFICATION OF ITALIAN AIRCRAFT

Reconnaissance-Bomber Seaplane  
CANT Z 506B



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE





CAPRONI CA 312 BIS

- Description:** Round tip, tapered, dihedral, low-wing monoplane fitted with two long single-step metal floats. Fabric fuselage, wood wings, twin motor, rounded fuselage with transparent nose, enclosed, engine nacelles set into wings. May be used to drop torpedoes.
- Crew:** 3.
- Armament:** 1 fixed 7.7-mm machine gun mounted on left wing; 1 flexible 7.7-mm machine gun in revolving turret on top of fuselage.
- Ammunition:**
- Bomb load:**
- Radio:** Two-way.
- Armor:**
- Motors:** 2 Piaggio P XVI, 630 horsepower each.
- Maximum speed:** 248 miles per hour.
- Rate of climb:** 13,120 feet in 13 minutes.
- Service ceiling:** 19,680 feet.
- Range:** 560 miles.
- Wing span:** 54 feet.


IDENTIFICATION OF ITALIAN AIRCRAFT

Reconnaissance-Bomber Seaplane  
CAPRONI CA 312 BIS



MILITARY INTELLIGENCE

ROYAL ITALIAN  
AIR FORCE



FIAT R. S. 14

Description: Round tip, tapered, dihedral, midwing mono-  
plane fitted with twin metal floats. All  
metal, twin motor, long pointed nose with  
transparent section, enclosed, engine nacelles  
set into wings.

Crew:

Armament:

Ammunition:

Bomb load:

Radio:

Armor:

Motors: 2.

Maximum

speed:

Rate of

climb:

Service

ceiling:

Range:

Wing span:

IDENTIFICATION OF ITALIAN AIRCRAFT

Reconnaissance-Bomber Seaplane  
FIAT R. S. 14

