



Certificate of Analysis

Accredited to ISO/IEC 17025:2017 by PJLA

Accreditation No. 86258

Sample Collected By: Client

Product Name	Green Kratom Crushed Leaf	Product Lot Number	R309061
Report Date	09/26/23	Laboratory Number	23097971

Description	Method	Specifications	Result
Mitragynine	HPLC	Report	1.59%
7-Hydroxymitragynine	HPLC	Report	Not detected
E. Coli	USP 38 <61>/<62>	<10 cfu/g	Negative
Salmonella	Salmonella Group Method	Negative	Negative
Staphylococcus aureus	USP 38 <61>/<62	< 10 cfu/g	Negative
Pseudomonas	USP 38 <61>/<62	Negative	Negative
Listeria	Rapid Chek	Negative	Negative
Lead	ICP-MS USP <730>	Report	0.083 ppm
Arsenic	ICP-MS USP <730>	Report	0.245 ppm
Cadmium	ICP-MS USP <730>	Report	0.017 ppm
Mercury	ICP-MS USP <730>	Report	0.014 ppm

Collin Thomas 
Laboratory Manager

09/26/2023
Date

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.